



NMT Specialized Machining Inc & NMT General Machining Inc

AS 9100 Rev C Quality Systems Manual

**290 Shoemaker Street
Kitchener, Ontario
Canada
N2E 3E1**



Table of Contents

Introduction	5
Documentation Scheme.....	6
Company Organizational Chart	7
1.0 SCOPE	8
1.1 General	8
1.2 Application	8
2.0 NORMATIVE REFERENCES	9
3.0 TERMS AND DEFINITIONS	10
4.0 QUALITY MANAGEMENT SYSTEM	11
4.1 General Requirements	11
4.2 Documentation Requirements	11
4.2.1 General	12
4.2.2 Quality Manual	12
4.2.3 Control of Documents	12
4.2.4 Control of Quality Records	12
Sequence of Interactions of Processes	13
5.0 MANAGEMENT RESPONSIBILIY	14
5.1 Management Commitment	14
5.2 Customer Focus	14
5.3 Quality Policy	14
5.4 Planning	15
5.4.1 Quality Objectives	15
5.4.2 Quality Management System Planning	15
5.5 Responsibility, Authority, and Communication	15
5.5.1 Responsibility and Authority	15
5.5.2 Management Representative	15
5.5.3 Internal Communication	16
5.6 Management Review	16
5.6.1 General	16
5.6.2 Review Input	16



5.6.3 Review Output 16

6.0 RESOURCE MANAGEMENT 17

6.1 Provision of Resources 17

6.2 Human Resources 17

6.2.1 General 17

6.2.2 Competence, Training and Awareness17

6.3 Infrastructure17

6.4 Work Environment18

7.0 PRODUCT REALIZATION 18

7.1 Planning of Product Realization 18

7.1.1 Product Management 19

7.1.2 Risk Management 19

7.1.3 Configuration Management 19

7.1.4 Control of Work Transfers 19

7.2 Customer-Related Processes20

7.2.1 Determination of Requirements Related to the Product20

7.2.2 Review of Requirements Related to the Product20

7.2.3 Customer Communication 20

7.3 Design and Development21

7.4 Purchasing 21

7.4.1 Purchasing Process 21

7.4.2 Purchasing Information21

7.4.3 Verification of Purchased Product22

7.5 Production and Service Provision23

7.5.1 Control of Production Provision23

7.5.1.1 Product Process Verification24

7.5.1.2 Control of Production Process Changes 24

7.5.1.3 Control of Production Equipment, Tools and
Software Programs24

7.5.1.4 Post Delivery Support 24

7.5.2 Validation of Processes for Production Provision24

7.5.3 Identification and Traceability 24

7.5.4 Customer Property25

7.5.5 Preservation of Product 25

7.6 Control of Monitoring and Measuring Equipment 26



8.0	MEASUREMENT, ANALYSIS AND IMPROVEMENT	27
8.1	General	27
8.2	Monitoring and Measurement	28
8.2.1	Customer Satisfaction	28
8.2.2	Internal Audit	28
8.2.3	Monitoring and Measurement of Processes	28
8.2.4	Monitoring and Measurement of Product	29
8.3	Control of Nonconforming Product	30
8.4	Analysis of Data	30
8.5	Improvement	31
8.5.1	Continual Improvement	31
8.5.2	Corrective Action	31
8.5.3	Preventive Action	32
	Quality system Manual Revisions	33



Introduction

NMT Machining Group Inc (NMT) consisting of, NMT Specialized Machining Inc and NMT General Machining Inc. located at 290 Shoemaker Street and 238 Trillium Drive, Kitchener, Ontario, developed and implemented a Quality Management System in order to document the company's best business practices, better satisfy the requirements and expectations of its customers and improve the overall management of the company.

The Quality Management System of NMT meets the requirements of the international standards ISO 9001:2008 and SAE AS9100C. This system addresses the design, development and production of the company's products. The system is suitable for post-delivery support, including the provision of maintenance, spare parts or materials for the company's products.

The manual is divided into eight sections that correlate to the Quality Management System sections of the ISO 9001:2008 format and AS9100C. Each section begins with a policy statement expressing NMT's obligation to implement the basic requirements of the referenced Quality Management System section. Each policy statement is followed by specific information pertaining to the procedures that describe the methods used to implement the necessary requirements.


This manual describes the Quality Management System, delineates authorities, inter relationships and responsibilities of the personnel responsible for performing within the system. The manual also provides procedures or references for all activities comprising the Quality Management System to ensure compliance to the necessary requirements of the standard.

This manual is used internally to guide the company's employees through the various requirements of the AS9100 Rev C standard that must be met and maintained in order to ensure customer satisfaction, continuous improvement and provide the necessary instructions that create an empowered work force.

This manual is used externally to introduce our Quality Management System to our customers and other external organizations or individuals. The manual is used to familiarize them with the controls that have been implemented and to assure them that the integrity of the Quality Management System is maintained and focused on customer satisfaction and continuous improvement.

President: _____

Documentation Scheme






Quality Manual Distribution

The Quality Manual, procedures, forms, attachments and work instructions will be available to all company personnel via the company server. The Quality Manual will also be available to our Customers, Vendors and Regulatory Agencies via the company website.

Company Organizational Chart





Section 1: Scope

1.1 General

The scope of the Quality Management System includes specializing in CNC custom machining. Manufacturing components for aerospace, automation, power generation and automotive industries.

The quality manual outlines the policies, procedures and requirements of the Quality Management System. The system is structured to comply with the conditions set forth in the International standards ISO 9001:2008 and SAE AS9100C. (***AS9100 requirements, definitions and notes in bold, italic text***)

1.2 Application

NMT has determined that the following requirements are not applicable to the operations at this site and are documented as exclusions:

- 7.3 Design & Development
NMT only manufactures parts with prints and specifications provided by our customers.
- 7.5.1.4 Post-delivery support
NMT does not provide post-delivery support.
- 7.5.2 Validation of processes for production and service provision
NMT does not provide special processes, except welding and painting for fixtures and commercial application.



Section 2: Normative Reference

2.0 Quality Management System References

The following documents were used as reference during the preparation of the Quality Management System:

- ISO 9000:2005, Quality Management Systems - Vocabulary.
- ISO 9001:2008, Quality Management Systems – Requirements
- ISO 9004:2009, Quality Management Systems – Guidelines for Performance Improvements
- SAE AS9101 – Process audit requirements
- SAE AS9100 Rev C (2009) - Quality Management Systems – Requirements for Aviation, Space and Defense Organizations



Section 3: Definitions

3.0 Quality Management System Definitions

Definitions used at NMT:

- Customer owned property - Any type of instrumentation, accessories, manuals, or shipping containers that belong to a customer.
- Customer supplied product - Any type of service or material supplied to be utilized in the manufacture, modification or repair of customer-owned property.
- Product – The end item result of meeting all contract terms and conditions. (eg: manufactured goods, etc.)
- Quality Records – Documentation of those activities wherein records of said activities must be maintained will be specified in the procedure or work instruction level documents, as applicable
- Key Characteristics- The features of a material, process, or part whose variation has a significant influence on product fit, performance, service life, or manufacturability.
- Risk - An undesirable situation or circumstance that has both a likelihood of occurring and a potentially negative consequence.
- Special requirements - Those requirements identified by the customer, or determined by the organization, which have high risks to being achieved thus, requiring their inclusion in the risk management process. Factors used in the determination of special requirements include product or process complexity, past experience and product or process maturity.
- Critical items - Those items (e.g., functions, parts, software, characteristics, processes) having significant effect on the product realization and use of the product; including safety, performance, form, fit, function, produceability, service life, etc.; that require specific actions to ensure they are adequately managed.



Section 4: Quality Management System

4.1 General Requirements

NMT has established, documented and implemented a Quality Management System (QMS) in accordance with the requirements of International standards ISO 9001:2008 and SAE AS9100C **and also address customer, statutory and regulatory quality management system requirements**. The system is maintained and continually improved through the use of the quality policy, quality objectives, audit results, analysis of data, corrective and preventive action and management review.

To design and implement the QMS NMT has:

- Determined the processes needed for the QMS and their application throughout the organization and documented them on the Process Flow Diagram at the end of this section of the Quality Manual
- Determined the sequence and interaction of these processes, and illustrated them on the Process Flow Diagram
- Determined criteria and methods needed to ensure that the operation and control of the processes are effective, and documented them in quality plans, work instructions and the Measuring, Monitoring and Analysis Table.
- Ensured the continuing availability of resources and information necessary to achieve planned results and continual improvement of these processes
- Established systems to monitor, measure and analyze these processes,
- Established processes to identify and implement actions necessary to achieve planned results and continual improvement of these processes,
- Defined the controls for outsourced processes as per P-740, Purchasing.

4.2 Documentation Requirements

4.2.1 General

The QMS documentation includes:

- This Quality Manual, documented Quality Policy and Quality Objectives
- Documented Procedures, work instructions, and quality records
- Documents identified as needed for the effective planning, operation and control of our processes.
- Records required by statutory and regulatory authorities.



NMT ensures that personnel have access to quality management system documentation and are aware of relevant procedures and changes. We also provide customer or statutory and regulatory authorities' access to quality management system documentation.

4.2.2 Quality manual

This Quality Manual has been prepared to describe NMT's QMS. The scope and permissible exclusions of the QMS are described in section one of this manual. Each section of the manual references documented QMS procedures relating to the requirements outlined in that section. The Process Flow Diagram at the end of section 4 provides a description of the interaction between the processes of the QMS system. The relationship between the ISO 9001:2008 and SAE AS9100C standard and documented procedure has been indicated by use of a numbering system that correlates to the standards.

4.2.3 Control of documents

All of the QMS documents are controlled according to the Document Control Procedure (P-423). This procedure defines the process for:


- Approving documents for adequacy prior to issue
- Reviewing and updating as necessary and re-approving documents
- Ensuring that changes and current revision status of documents are identified
- Ensuring that relevant versions of applicable documents are available at points of use
- Ensuring that documents remain legible and readily identifiable
- Ensuring that documents of external origin are identified and their distribution controlled
- Preventing the unintended use of obsolete documents and to apply suitable identification to them if they are retained for any purpose.

4.2.4 Control of quality records

Quality records are maintained to provide evidence of conformity to requirements and of the effective operation of the QMS. The records, ***including those created by and/or retained by suppliers***, are maintained according to the Control of Quality Records Procedure (P-424). This procedure requires that quality records remain legible, readily identifiable and retrievable. The procedure defines the controls needed for identification, storage, protection, retrieval, retention time and disposition of quality records.

Related Procedures

Document Control	P-423	Purchasing	P-740
Control of Quality Records	P-424		





Section 5: Management Responsibility

5.1 Management commitment

Top management has been actively involved in implementing the quality management system (QMS). It has provided the vision and strategic direction for the growth of the QMS, and established quality objectives and the quality policy (P-500).

To continue to provide leadership and show commitment to the improvement of the QMS, management will do the following.

- Communicate the importance of meeting customer, statutory, and regulatory requirements.
- Establish the quality policy.
- Establish quality objectives.
- Conduct management reviews.
- Ensure the availability of resources.

5.2 Customer focus

NMT strives to identify current and future customer needs, to meet customer requirements and exceed customer expectations.

Top management ensures that product conformity and on-time delivery performance are measured and that appropriate action is taken if planned results are not achieved or will not be achieved.

Top management ensures that customer requirements are understood and met. Customer requirements are determined, converted into internal requirements, and communicated to the appropriate people in our organization (P-720).

5.3 Quality policy

Top management ensures that the quality policy is communicated to all employees. It is included in new employee training and training on the QMS. It is posted in prominent places throughout the facility to maintain high standards within our organization.

Management reviews the quality policy at each management review meeting to determine the policy's continuing suitability for our organization. The Quality Policy is documented on A-500-001, Quality Policy.



5.4 Planning

5.4.1 Quality objectives

Quality objectives are established to support our organization's efforts in achieving our quality policy and reviewed annually for suitability. Quality objectives are measurable, and reviewed against performance goals at each management review meeting.

The quality objectives have been documented in the Quality Policy document A-500-001.

5.4.2 Quality management system planning

The quality system has been planned and implemented to meet our quality objectives and the requirements of section 4.1. Quality planning takes place as changes that affect the quality system are planned and implemented.

5.5 Responsibility, authority and communication

5.5.1 Responsibility and authority

An organizational chart has been established to show the interrelation of personnel in the organization. Job descriptions define the responsibilities and authorities of each of the positions on the organizational chart. Job descriptions and the organizational chart are reviewed and approved by top management for adequacy. These documents are available throughout the organization to help employees understand responsibilities and authorities. An organizational chart (attachment A-550-001) is located on page 7 of this manual.

5.5.2 Management representative

The Quality Manager has been appointed by top management as management representative. As management representative, they have the following responsibility and authority:

- Ensure that processes needed for the quality management system are established and implemented.
- Report to top management on the performance of the quality management system, and note needed improvements.
- Promote awareness of customer requirements throughout the organization.
- Act as a liaison with external parties such as customers or auditors on matters relating to the QMS and resolve matters pertaining to quality issues
- ***Organizational freedom and unrestricted access to top management to resolve matters pertaining to quality.***



5.5.3 Internal communication

Processes are established for communication within the organization. Methods of communicating the effectiveness of the QMS include management review meetings, employee meetings, Internal Audit Closing meetings, employee bulletin boards and other routine business communication.

5.6 Management review

5.6.1 General

Top management reviews the QMS quarterly at management review meetings. This review assesses the continuing QMS suitability, adequacy and effectiveness, identifying opportunities for improvement and needed changes. Records are maintained for each management review meeting.

5.6.2 Review input

Assessment of the QMS is based on a review of information inputs to management review. These inputs include the following:

- Results of audits
- Customer feedback
- Process performance and product conformity
- Status of preventive and corrective actions
- Follow-up actions from previous management reviews
- Planned changes that could affect the quality management system
- Recommendations for improvement

5.6.3 Review output

During these review meetings, management will identify appropriate actions to be taken regarding the following issues:

- Improvement of the effectiveness of the quality management system and its processes
- Improvement of product related to customer requirements
- Resource needs

Responsibility for required actions is assigned to members of the management review team. Any decisions made during the meeting, assigned actions, and their due dates are recorded in the minutes of management review.



Related Procedures:

Customer Related Processes	P-720
Management Responsibility	P-500

Section 6: Resource Management

6.1 Provision of resources

NMT has implemented a Quality Management System that complies with the ISO 9001:2008 and AS9100C standard. This implementation was achieved with management commitment and with sufficient resources for the implementation. To enhance customer satisfaction and effectively maintain and continually improve the system, management determines and provides necessary resources.

6.2 Human resources

6.2.1 General

To ensure competence of our personnel, job descriptions have been prepared identifying the qualifications required for each position that affects product quality. Qualifications include requirements for education, skills and experience. Appropriate qualifications, along with required training, provide the competence required for each position.

6.2.2 Competence, awareness and training

Qualifications are reviewed upon hire, when an employee changes positions or the requirements for a position change. Human resources maintain records of employee qualifications. If any differences between the employee's qualifications and the requirements for the job are found, training or other action is taken to provide the employee with the necessary competence for the job. The results are then evaluated to ensure that the competence has been achieved. Training and evaluation are conducted according to the Training procedure. (P-622)

All employees are trained on the relevance and importance of their activities and how they contribute to the achievement of the quality objectives.

6.3 Infrastructure

To meet quality objectives and product requirements NMT has determined the infrastructure needed (P-630). The infrastructure has been provided, and includes buildings, workspace,



utilities, process equipment and supporting services. As new infrastructure requirements arise, they will be documented in quality plans. Existing infrastructure is maintained to ensure product conformity. Infrastructure maintenance requirements are documented in:

- Preventive maintenance plans
- Building maintenance plans

6.4 Work Environment

A work environment suitable for achieving product conformance is maintained. Requirements are determined during quality planning and documented in the quality plan. The work environment is managed for continuing suitability. Data from the quality system is evaluated to determine if the work environment is sufficient for achieving product conformance, or if preventive or corrective action related to the work environment is required.

Related Documents

Competence, Awareness and Training	P-622
Infrastructure	P-630

Section 7: Product Realization

7.1 Planning of product realization

Quality planning is required before new products or processes are implemented. The quality planning will take place according to the Planning of Product Realization procedure (P-710). During this planning, management or assigned personnel identify:

- The quality objectives and requirements for the product, include
 - ***Product and personal safety,***
 - ***Reliability, availability and maintainability,***
 - ***Producibility and inspectability,***
 - ***Suitability of parts and materials used in the product,***
 - ***Selection and development of embedded software, and***
 - ***Recycling or final disposal of the product at the end of its life.***
- Processes, documentation and resources required



- Verification, validation, monitoring, measuring, inspection and test requirements
- **Configuration management**
- Criteria for product acceptance
- **Resources necessary to support use and maintenance of the product**

The output of quality planning includes documented quality plans, processes, procedures and design outputs.

7.1.1 Project Management

Management assigns responsibility for project management and ensuring that product realization is planned and managed in a controlled manner, meeting requirements at acceptable risk, within resource and schedule constraints.

7.1.2 Risk Management

Risks are managed according to the Risk Management procedure (P-712). The process of risk management includes;

- **Assigning responsibility for risk management**
- **Defining risk criteria**
- **Identification, assessment and communication of risks**
- **Identification, implementation and management of actions to mitigate risks**
- **Acceptance of risks remaining after implementation of mitigating actions**

7.1.3 Configuration Management

Do to the limited requirements of configuration management applicable to NMT, Configuration management is a means by which identification and traceability are maintained only (see P-753).

- **Configuration audits will be completed on a monthly bases and the scope of the audit will include quotes, purchase orders, raw material certificates, processing certificates, job travelers, C of C's and delivery slips.**

7.1.4 Control of Work Transfers

Temporary or permanent transfer of work is planned to control and verify the conformity of the work to requirements. Planning of work transfers, for example, from one company facility to another, from the company to a supplier, from one supplier to another, takes place according to the Planning of Realization Processes procedure (P-710) and coordination with the purchasing department with purchasing procedure (P-740).



7.2 Customer-related processes

7.2.1 Determination of requirements related to the product

NMT determines customer requirements before acceptance of an order. Customer requirements include those:

- Requested by the customer
- Required for delivery and post-delivery activities
- Not stated by the customer but necessary for specified use or known and intended use
- Statutory, regulatory and special requirements related to the product
- Additional requirements determined by NMT

Customer requirements are determined according to the Customer Related Processes Procedure. (P-720)

7.2.2 Review of requirements related to the product

NMT has a process in place for the review of requirements related to the product (P-720). The review is conducted before the order is accepted. The process ensures that:

- Product requirements are defined
- Contract or order requirements differing from those previously expressed are resolved
- NMT has the ability to meet the defined requirements
- Contractual requirements are reviewed and **special product requirements are determined**
- **Risks (e.g., new technology, short delivery time scale) have been evaluated** (P-712).
- Records are maintained showing the results of the review and any actions arising from the review
- Where a customer does not provide a documented statement of requirement, the customer requirements are confirmed before acceptance
- When product requirements are changed, NMT communicates changes to relevant personnel and amends relevant documents

7.2.3 Customer communication

NMT has implemented an effective procedure (P-720) for communicating with customers in relation to:

- Product Information



- Enquiries, contracts and order handling, including amendments
- Customer Feedback, including customer complaints

7.3 Design and Development

Design and Development is not performed at NMT and is excluded from this manual.

7.4 Purchasing

7.4.1 Purchasing process

A documented procedure (P-740) is followed to ensure that purchased product conforms to the specified purchase requirements. The procedure outlines the extent of control required for suppliers. Suppliers are evaluated and selected based on their ability to supply product in accordance with requirements as outlined in the procedure.

Responsibilities and criteria for selection, evaluation and re-evaluation, status and status change and risk analysis are documented in the procedure. Records of the evaluation and any necessary actions are maintained as quality records. ***NMT is responsible for the quality of all products purchased from suppliers, including customer-designated sources.***

This is done following our documented Purchasing procedure and includes:

- ***Maintaining a register of suppliers that includes approval status the scope of the approval***
- ***Reviewing supplier performance***
- ***Defining action to take when suppliers do not meet requirements***
- ***Ensuring that our company and suppliers use customer-approved special process sources***
- ***Defining responsibility, authority and the process for approval status decisions, changes of status, and conditions for controlled use of a supplier***
- ***Determining and managing the risk when selecting and using suppliers***

7.4.2 Purchasing information

Purchasing information describes the product to be purchased, including where appropriate:

- Requirements for approval of product, processes and equipment
- Requirements for qualification of personnel
- Quality management system requirements outlined in the Purchasing Procedure (P-740)



- **Identification and revision status of documentation and relevant technical data**
- **Requirements for test, inspection, and verification, for product acceptance and related instructions, critical items including key characteristics**
- **Requirements for test specimens, and inspection/verification, investigation or auditing**
- **Requirements for the supplier to notify of nonconforming product, obtain approval for nonconforming product disposition, notify of changes in product or process, changes of suppliers, changes of manufacturing facility location, and flow down requirements to the supply chain**
- **Records retention**
- **Right of access to areas of the facilities and records**

The purchasing documents are reviewed to ensure the adequacy of requirements before orders are placed with the supplier.

7.4.3 Verification of purchased product

The Purchasing procedure (P-740) describes the process used to verify that purchased product meets specified purchase requirements. Purchased product is not used or processed until it has been verified as conforming to specified requirements unless it is released under positive recall procedure. If test reports are used to verify purchased product, the data must meet applicable specifications. Test reports for raw material are periodically validated.

Verification activities can include:

- **Obtaining objective evidence of the conformity of the product from the supplier (eg. accompanying documentation, certificate of conformity, test records, process control)**
- **Inspection and audit at the supplier's premises,**
- **Review of the required documentation,**
- **Inspection of products upon receipt, and**
- **Delegation of verification to the supplier or supplier certification.**

Where purchased product is released for production use pending completion of all required verification activities, it shall be identified and recorded to allow recall and replacement if it is subsequently found that the product does not meet requirements.

When verification activities are delegated to the supplier the requirements are defined, and a register of delegations is maintained.

If NMT or the customer will perform verification at the supplier's premises, the verification arrangements and method of product release are documented in the purchasing information.



Where specified in the contract, the customer or the customer's representative is given the right to verify at the suppliers premises and organization's premises that product conforms to specified requirements

7.5 Production and Service Provision

7.5.1 Control of production and service provision

NMT plans and carries out production and service provision under controlled conditions according to documented procedure (P-750). Controlled conditions include, as applicable:

- The availability of information that describes the characteristics of the product
- The availability of work instructions
- The use of suitable equipment
- The availability and use of monitoring and measuring equipment
- The implementation of monitoring and measurement
- The implementation of release, delivery and post-delivery activities
- ***The accountability for all product during production (e.g., parts quantities, split orders, nonconforming product)***
- ***The evidence that all production and inspection/verification operations have been completed as planned, or as otherwise documented and authorized,***
- ***The provision for the prevention, detection, and removal of foreign objects,***
- ***The monitoring and control of utilities and supplies such as water, compressed air, electricity and chemical products to the extent they affect product quality, and criteria for workmanship, which shall be stipulated in the clearest practical manner (e.g., written standards, representative samples or illustrations).***

Planning considers, as applicable:

- ***The establishment of process controls and development of control plans where key characteristics have been identified,***
- ***The identification of in-process verification points when adequate verification of conformance cannot be performed at a later stage of realization,***
- ***The manufacture and use of tooling so that variable measurements can be taken, particularly for key characteristics, and***
- ***Special processes (see 7.5.2).***



7.5.1.1 Production Process Verification

Production processes are verified using a representative item from the first production run of a new part or assembly to verify that the process and tooling are capable of producing conforming parts. Verification is repeated when changes occur that could invalidate the original results.

Note: This activity is referred to as first article inspection.

7.5.1.2 Control of Production Process Changes

Authorized people for approving changes to production processes are identified in the Procedure P-750. NMT controls and documents changes affecting processes, production equipment, tools and software programs according to this procedure.

The results of changes to production processes are assessed to confirm that the desired effect has been achieved without adverse effects to product quality.

7.5.1.3 Control of Production Equipment, Tools and Software Programs

Production equipment, tools and programs are validated prior to use and maintained and inspected periodically according to documented procedures. Validation prior to production use includes verification of the first article produced to the design data/specification.

Storage requirements, including periodic preservation/condition checks, have been established for production equipment or tooling in storage. Form F-751-001

7.5.1.4 Post-Delivery support

Post-Delivery support is not provided at NMT and is excluded from this manual.

7.5.2 Validation of processes for production and service provision

Validation of processes for production and service provision is excluded from this manual.

7.5.3 Identification and traceability

NMT identifies the product throughout product realization according to the Identification and Traceability procedure (P-753).

- *NMT maintains the identification of the configuration of the product in order to identify any differences between the actual configuration and the agreed configuration.*



- Product status is identified with respect to monitoring and measurement requirements.
- ***When acceptance authority media such as stamps, electronic signatures or passwords are used NMT establishes and documents controls for the media.***
- According to the level of traceability required by contract, statutory and regulatory, or other established requirement, NMT system provides for:
 - ***Identification to be maintained throughout the product life;***
 - ***All the products manufactured from the same batch of raw material or from the same manufacturing batch to be traced, as well as the destination (delivery, scrap) of all products of the same batch;***
 - ***For an assembly, the identity of its components and those of the next higher assembly to be traced;***
 - ***For a given product, a sequential record of its production (manufacture, assembly, inspection) to be retrieved.***

NMT controls and records the unique identification of the product where ever traceability is a specified requirement

7.5.4 Customer property

NMT exercises care with customer property while it is under the organization's control or being used. A procedure (P-754) outlines the Identification, verification, protection and safeguarding of customer property provided for use.

If any customer property is lost, damaged or otherwise found to be unsuitable for use, this is reported to the customer and records maintained. NOTE Customer property can include intellectual property and, personal data, including customer furnished data used for design, production and/or inspection.

7.5.5 Preservation of product

NMT preserves the product during internal processing and delivery to the intended destination per procedure (P-755). This preservation includes identification, handling, packaging, storage and protection. Preservation also applies to the constituent parts of a product.

Preservation of product also includes, where applicable in accordance with product specifications and/or applicable regulations, provisions for:

- ***Cleaning;***
- ***Prevention, detection and removal of foreign objects;***
- ***Special handling for sensitive products;***



- **Marking and labeling including safety warnings;**
- **Shelf life control and stock rotation;**
- **Special handling for hazardous materials.**

7.6 Control of monitoring and measuring equipment

NMT has determined the monitoring and measurement to be undertaken and the monitoring and measuring equipment needed to provide evidence of conformity of product to determined requirements.

A register of monitoring and measuring equipment is maintained and the documented procedure (P-760) outlines the process used to ensure that monitoring and measurement to be carried out are carried out in a manner that is consistent with the monitoring and measurement requirements.

- Calibrated, verified or both at specified intervals, or prior to use, against measurement standards traceable to international or national measurement standards.
- Adjusted or re-adjusted as necessary
- Identified to enable the calibration status to be determined
- Safeguarded from adjustments that would invalidate the measurement result
- Protected from damage and deterioration during handling, maintenance and storage
- ***Be recalled according to a defined method when requiring calibration***

In addition, Quality Control assesses and records the validity of the previous measuring results when the equipment is found not to conform to requirements. NMT takes appropriate action on the equipment and any product affected. Records of the results of calibration and verification are maintained.

NMT maintains a register of this monitoring and measuring equipment. The process used for their calibration is defined in procedures, work instructions and equipment manuals and includes details of equipment type, unique identification, location, frequency of checks, check method and acceptance criteria.

When used in the monitoring and measurement of specified requirements, the ability of computer software to satisfy the intended application is confirmed. This is undertaken prior to initial use and reconfirmed as necessary.

NMT ensures that environmental conditions are suitable for the calibrations, inspections, measurements and tests being carried out.



Related Documents

Planning of Product Realization Processes	P-710
Risk Management	P-712
Customer Related Processes	P-720
Purchasing	P-740
Control of Production and Service Provision	P-750
Identification and Traceability	P-753
Customer Property	P-754
Preservation of Product	P-755
Control of Monitoring and Measuring Equipment	P-760

Section 8: Measurement, Analysis and Improvement

8.1 General

NMT plans and implements the monitoring, measurement, analysis and improvement processes as needed

- To demonstrate conformity of the product,
- To ensure conformity of the quality management system, and
- To continually improve the effectiveness of the quality management system.

These processes are identified in documented procedures and include determination of applicable methods, and the extent of their use.

8.2 Monitoring and Measurement

8.2.1 Customer Satisfaction

As one of the measurements of the performance of the quality management system, NMT monitors information relating to customer perception as to whether the organization has fulfilled customer requirements.



The information monitored and used for the evaluation of customer satisfaction includes, and is not limited to product conformity, on-time delivery performance, customer complaints and corrective action requests. Improvements that address deficiencies are planned and implemented and the effectiveness of results assessed.

The method for obtaining and using this information is identified in the Customer Related Processes (P-720), Monitoring, Measuring and Analysis of Customer Satisfaction (P-821) and the Management Responsibility procedure (P-500).

8.2.2 Internal Audit

NMT conducts internal audits at planned intervals to determine whether the quality management system

- Conforms to the planned arrangements (see 7.1), to the requirements of this International Standard and to the quality management system requirements established by the organization
- Is effectively implemented and maintained.

An audit program has been designed and implemented and identifies an audit schedule based on the importance of the areas to be audited, as well as the results of previous audits. The audit criteria, scope, frequency, methods, responsibilities and requirements for planning and conducting audits, and for reporting and maintaining results, are defined and documented in the Internal Audit procedure (P-822).

The management responsible for the area being audited is responsible for ensuring that actions are taken without undue delay to eliminate detected nonconformities and their causes. Follow-up activities include the verification of the actions taken and the reporting of verification results.

8.2.3 Monitoring and measurement of processes

NMT applies suitable methods for monitoring and, where applicable, measurement of the quality management system processes. These methods demonstrate the ability of the processes to achieve planned results. When planned results are not achieved, correction and corrective action is taken, as appropriate, to ensure conformity of the product. ***In the event of process nonconformity, the organization follows the Control of Nonconforming Product and Process procedure (P-830) and:***

- ***Takes appropriate action to correct the nonconforming process,***
- ***Evaluates whether the process nonconformity has resulted in product nonconformity,***
- ***Determines if the process nonconformity is limited to a specific case or if it could have affected other processes or products, and***
- ***Identifies and controls the nonconforming product in accordance with clause 8.3.***



8.2.4 Monitoring and measurement of product

NMT monitors and measures the characteristics of the product to verify that product requirements are fulfilled. This is carried out at appropriate stages of the product realization process identified in Monitoring, Measuring and Analysis of Product Realization Processes (P-824). Evidence of conformity with the acceptance criteria is maintained.

Measurement requirements for product or service acceptance are documented. This documentation is part of the production documentation, and includes:

- ***Criteria for acceptance and/or rejection,***
- ***Where in the sequence measurement and testing operations are performed,***
- ***A record of the measurement results, and***
- ***Type of measurement instruments required and any specific instructions associated with their use.***

When key characteristics have been identified, they are monitored and controlled. When the organization uses sampling inspection as a means of product acceptance, the plan is statistically valid and appropriate for use.

Product is not used until it has been inspected or otherwise verified as conforming to specified requirements, except when product is released unless it is identified and recorded to allow recall and replacement if it is subsequently found that the product does not meet requirements.

Records indicate the person authorizing release of product, and provide evidence that the product meets requirements.

When required to demonstrate product qualification, records provide the evidence that defined requirements are met.

NMT ensures that documents required by the contract or order to accompany the product are present at delivery.

8.3 Control of Nonconforming Product and Process

NMT ensures that product which does not conform to product requirements is identified and controlled to prevent its unintended use or delivery. The controls and related responsibilities and authorities for dealing with nonconforming product are defined in the Control of Nonconforming Product procedure (P-830).

The term “nonconforming product” includes nonconforming product returned from a customer.

Responsibility for review and authority for the disposition of nonconforming product and the process for approving personnel making these decisions is defined in the procedure.

This process includes:



- Appropriate action to eliminate the nonconformity
- Disposition of the nonconforming material
- Taking action to control the material, precluding its original use
- Taking appropriate action when nonconforming product is detected after delivery
- **Taking actions to contain the effect on other processes or products.**

Corrected nonconforming product is re-verified and **product dispositioned for scrap is conspicuously and permanently marked, or positively controlled, until physically rendered unusable.**

In addition to any contract or statutory and regulatory authority reporting requirements, **NMT system provides for timely reporting of delivered nonconforming product that may affect reliability or safety.** Notification includes a clear description of the nonconformity, which includes as necessary parts affected, customer and/or organization part numbers, quantity, and date(s) delivered.

Use-as-is disposition is only used with authorization by a representative of the design. The organization also does not use dispositions of use-as-is or repair, unless specifically authorized by the customer, if

- **The product is produced to customer design, or**
- **The nonconformity results in a departure from the contract requirements.**

NOTE Parties requiring notification of nonconforming product may include suppliers, internal organizations, customers, distributors, and regulatory authorities.

8.4 Analysis of Data

NMT determines, collects and analyses appropriate data to demonstrate the suitability and effectiveness of the quality management system and to evaluate where continual improvement of the quality management system can be made. The process for determining, collecting and analyzing this data is defined in the Management Responsibility procedure (P-500). Appropriate data includes data generated as a result of monitoring and measurement and from other relevant sources.

The analysis of data provides information relating to:

- Customer satisfaction
- Conformance to product requirements
- Characteristics and trends of processes and products including opportunities for preventive action
- Suppliers



8.5 Improvement

8.5.1 Continual improvement

NMT continually improves the effectiveness of the quality management system through the use of the quality policy, quality objectives, audit results, analysis of data, corrective and preventive actions and management review. **Management monitors the implementation of improvement activities and evaluates the effectiveness of results** (P-500)

8.5.2 Corrective action

NMT takes action to eliminate the cause of nonconformities in order to prevent recurrence. Corrective actions are appropriate to the effects of the nonconformities encountered.

A documented procedure (P-852) defines requirements for

- Reviewing nonconformities (including customer complaints),
- Determining the causes of nonconformities,
- Evaluating the need for action to ensure that nonconformities do not recur,
- Determining and implementing action needed,
- Records of the results of action taken (see 4.2.4), and
- Reviewing the effectiveness of the corrective action taken.
- **Flow down of the corrective action requirement to a supplier, when it is determined that the supplier is responsible for the nonconformity**
- **Specific actions where timely and/or effective corrective actions are not achieved,**
- **Identification of additional nonconforming product,**

8.5.3 Preventive action

NMT determines action to eliminate the causes of potential nonconformities in order to prevent their occurrence. Preventive actions are appropriate to the effects of the potential problems.

A documented procedure (P-853) defines requirements for:



- Determining potential nonconformities and their causes
- Evaluating the need for action to prevent occurrence of nonconformities
- Determining and implementing action needed
- Records of results of action taken
- Reviewing the effectiveness of the preventive action taken

Related Documents

Management Responsibility	P-500
Customer Related Processes	P-720
Monitoring, Measuring and Analysis of Customer Satisfaction	P-821
Internal Audits	P-822
Monitoring and Measuring of Product and Realization Processes	P-824
Control of Nonconforming Product	P-830
Corrective Action	P-852
Preventive Action	P-853



QUALITY SYSTEM MANUAL REVISIONS

REV.	SECTION	SUB-SEC.	PARA.	Change	DATE	AUTHORIZED BY
NC						
A	1.2	7.5.2, 4.1, Page 13			Jul 16/15	Gord C